

*Armitage
Shanks*

BlueBook_{MINI}



CONTRACTORS

FOR
HYGIENE
SOLUTIONS.

We're here.



Ideal Standard

PART OF THE IDEAL STANDARD GROUP

This is a guide to our full hygiene solutions range, from taps and flush plates to WCs and urinals.

It is full of information on how we can help you at each step of your project, and advice on creating more hygienic washrooms.

CONTENTS

WORKING WITH US	4
BECAUSE HYGIENE SAVES LIVES	6
HYGIENE THAT'S AHEAD OF THE CURVE	8
OUR TOUCHLESS PRODUCTS	10
SENSORFLOW 21 SYSTEM	20
FULL HYGIENE SOLUTIONS	26
A SMART SYSTEM	28
AQUABLADE® FLUSH TECHNOLOGY	34
PRODUCT SUMMARY	38
CONTACT	42

WORKING WITH YOU AT EVERY STEP.

We're here for every fitter and contractor, as a partner and a one-stop shop – to give you a spec that's bang on, to solve problems fast, to help increase profit and make your customers happy. We're here to help you get every project right, first time.



BEFORE YOU START

Making plans

We can suggest products and ideas to make sure clients are impressed.

Drawing up the spec

Skip the hard work of turning plans into a solid spec – ask us to do it instead.

Understanding compliance

Find out the guidelines or requirements you need to be aware of and how to meet them.

Finding the right products

We will turn around your estimate within 24 hours or contact you quickly if there is a problem.



DURING YOUR PROJECT

Order at a great price

You can order from us or from your usual merchant.

Convenient, on-time delivery

We'll make sure all products arrive when you need them, with nothing missing.

Help with installation

We can talk you through fittings and settings and troubleshoot any problems.



AFTER YOUR PROJECT HAS FINISHED

Quick response to questions

We're on hand to help resolve any issues, fast.

Local support

Your Field Sales Manager is ready to help with any opportunity.

Free guides

All you need to know about products and maintenance.



"I give the same level of service no matter the project size because I know that every job is about someone's reputation."

*Thomas Ball, Regional Team Leader
Trade Channel (South)*

BECAUSE HYGIENE SAVES LIVES.

Hygiene is under the microscope like never before. Common sense and the World Health Organisation tell us that good hand hygiene is key to reduce the spread of germs.

Designing washrooms in the right way, with the right products, is more important than ever – and clients know it. Here's how you can make a space more hygienic.



NO TOUCH MEANS NO TRANSMISSION

Conventional taps and flush plates can be touched by hundreds of people every day. Even after a thorough wash you can easily re-contaminate your hands by turning off a tap. Our touchless taps remove this risk and break the chain of transmission.

TOUCHLESS FITTINGS MEAN CLEANER WASHROOMS

Harmful bacteria can transfer from hands to the spout of the tap, infecting the whole tap and pipework and putting people at risk – especially in healthcare settings. Touchless taps reduce the chances of bacterial growth.

REDUCE SPLASHING, REDUCE CONTAMINATION

Taps, toilets and urinals can have a high aerosol effect, spreading droplets full of bacteria up to two metres away. All our touchless products have regulators fitted so the pressure of water reduces the chance of splashing.

KEEP THINGS FLOWING, FOR GREATER HYGIENE

Dead legs can be breeding grounds for bacteria. Our advice is to ensure products are used regularly or use the automatic duty flush on taps and urinals.

FOR HYGIENE THAT'S AHEAD OF THE CURVE.

We're here.



Every job is different, so we give you options. This is a range that offers total hygiene and total flexibility for your project – with the leading design your customers have come to expect from us.

FITTING & FINISH OPTIONS

The range includes deck fittings or wall-mounted fittings, with many available in a brushed or ultra steel finish.

ALWAYS EASY TO INSTALL

Our smart products come pre-programmed for simple installation, with clear instructions and battery and mains-powered options.

SUPER WATER EFFICIENT

Our touchless products all have flow regulators. All our touchless taps run on less than 5 litres of water per minute and fall in the most efficient (Green) Water Label category. Plus the aerated spray outlet gives users a comfortable and soft wash.

AUTOMATIC SAVINGS

Because our touchless products turn on and off automatically, water is only used when it's needed – perfect for high-footfall washrooms. Run times come pre-programmed but can be adjusted for specific settings.

AUTOMATIC PURGING OR FLUSHING

You can set our touchless products to automatically run if they haven't been used for several hours. By adding a regular 'duty flush', our taps keep washrooms cleaner and safer.

AFTERCARE AND GUARANTEE

We know the job doesn't end once the invoice is sent, so we offer a five-year guarantee on all our taps and our aftercare team is on the end of the phone to give quick, clear information whenever you need it.

*"Hygiene is a big deal,
we can help you make
sure everything is covered."*

*Jamie Maguire, Regional Field Sales
Team Leader (North & Scotland) - Trade*

OUR TOUCHLESS PRODUCTS

A range built for total hygiene,
total flexibility, and total confidence.


*"We're always looking
for ways to add value –
offering not just single
products, but whole solutions."*

*Sarah Szydlowski,
Sales Executive OTC/RMI*

FEATURES AND BENEFITS

Hands-free electronic taps with remote sensors detect the user and control on-demand water flow.

- Touchless operation improves washroom hygiene
- Controlled water release improves efficiency
- No moving external parts reduces vandalism
- Mains or battery powered





SENSORFLOW 21

150mm panel
mounted spout with
integrated sensor

The perfect panel-mounted model for when space is tight.

- Commercial use
- Hygienic “no touch” operation
- Hands-free operation
- 3.7 litres per minute flow regulator
- Anti-vandal outlet

- A4846AA CHROME MAINS
- A4846GN ULTRA STEEL MAINS
- A4847AA CHROME LINK
- A4845AA CHROME BATTERY





SENSORFLOW 21

150mm panel
mounted spout with
separate sensor

The proximity sensor makes this great for panel systems and it can be converted to a remote-controlled timed flow.

- Commercial use
- Hygienic “no touch” operation
- Hands-free operation
- 3.7 litres per minute flow regulator
- Anti-vandal housing

- A4180AA CHROME MAINS
- A4180GN ULTRA STEEL MAINS
- A4181AA CHROME LINK
- A4181GN ULTRA STEEL LINK
- A4126AA CHROME BATTERY






SENSORFLOW 21

230mm panel
mounted spout with
integrated sensor

For specs that need a compact model with a longer reach.

- Commercial use
- Hygienic “no touch” operation
- Hands-free operation
- 3.7 litres per minute flow regulator
- Anti-vandal outlet

- A4849AA CHROME MAINS
- A4849GN ULTRA STEEL MAINS
- A4850AA CHROME LINK
- A4850GN ULTRA STEEL LINK
- A4848AA CHROME BATTERY



SENSORFLOW 21

230mm panel
mounted spout with
separate sensor

All the benefits of the 150mm model just with extra reach.

- Commercial use
- Hygienic “no touch” operation
- Hands-free operation
- 3.7 litres per minute flow regulator
- Anti-vandal housing

- A4183AA CHROME MAINS
- A4183GN ULTRA STEEL MAINS
- A4184AA CHROME LINK
- A4184GN ULTRA STEEL LINK
- A4182AA CHROME BATTERY

SENSORFLOW 21

Compact mixer

The perfect model for when space is tight.

"The government recommend you wash your hands for 20 seconds. Sensorflow taps can be programmed to run for whatever time you want, so they can provide the perfect tool to help people wash their hands in line with government guidelines."

Kiran Sanders, Sales Manager



Commercial use


Hygienic "no touch" operation

3.7 litres per minute flow regulator

Anti-vandal outlet

3.7 litres per minute aerated spray outlet

A4852AA CHROME MAINS
A4852GN ULTRA STEEL MAINS
A4853AA CHROME LINK
A4853GN ULTRA STEEL LINK
A4851AA CHROME BATTERY



INTEGRATED SENSOR FOR
"NO TOUCH" OPERATION

BASIN MOUNTED

HYGIENIC NON POROUS
WASH TROUGH


SENSORFLOW 21

150mm panel
mounted spout
with built-in sensor

Features a powerful 4.7 litre per minute laminar flow regulator and optional flow guide for low-pressure installation.

Commercial use
Hygienic “no touch” operation
Anti-vandal outlet housing
Chrome plated
Hands-free operation
Laminar flow

A4178AA CHROME MAINS
A4179AA CHROME LINK





SENSORFLOW 21

Small washbasin
spout with
integral sensor

Compact model with optional flow guide for low-pressure installation.

Commercial use
Hygienic “no touch” operation
Hands-free operation
4.7 litres per minute flow regulator
Anti-vandal outlet housing
Laminar flow

A4798AA CHROME MAINS
A4799AA CHROME LINK
A4664AA CHROME BATTERY




SENSORFLOW 21

Washbasin spout
with integral sensor

Features optional flow guide for low-pressure installation.

Commercial use
Hygienic “no touch” operation
Hands-free operation
3.7 litres per minute flow regulator
Anti-vandal outlet housing
Laminar flow

A4171AA CHROME MAINS
A4171GN ULTRA STEEL MAINS
A4172AA CHROME LINK
A4172GN ULTRA STEEL LINK
A4122AA CHROME BATTERY



SENSORFLOW 21

Washbasin mixer
with integral sensor

Features an integral sensor and a lever for temperature adjustment.

Commercial use
Temperature adjustable
Hygienic
Hands-free operation
3.7 litres per minute flow regulator
Anti-vandal outlet housing
Laminar flow

A4176AA CHROME MAINS
A4177AA CHROME LINK

SENSORFLOW WAVE

Basin mixer with integrated sensor

Modern design with lead and nickel-free waterways.

Commercial use

Lead & nickel-free waterways

Cool body


3.8 litres per minute Eco aerated flow regulator

High pressure only



A6161AA CHROME MAINS

A6160AA CHROME BATTERY



SENSORFLOW WAVE

Thermostatic adjustable shower

Sensor operated with touch-free on/off operation and user-adjusted temperature control.

Thermostatic temperature control


User temperature adjustment

Temperature safety button

Thermal cleanse facility



A6173 THERMOSTATIC BUILT-IN SHOWER MIXER



SENSORFLOW WAVE

Basin mixer with integrated sensor and temperature control

Features an integral sensor and a lever for temperature adjustment.

Commercial use


User temperature adjustment

Lead & nickel-free waterways

Cool body

3.8 litres per minute Eco aerated flow regulator

High pressure only



A6163AA CHROME MAINS

A6162AA CHROME BATTERY

SENSORFLOW WAVE

Thermostatic shower set


Sensor operated with touch-free on/off operation and tool-adjusted temperature control.

Thermostatic temperature control

Thermal cleanse facility

Easybox for simple installation


A6175 THERMOSTATIC BUILT-IN SHOWER MIXER



SENSORFLOW 21 SYSTEM

Sensorflow 21 has been designed for easy fitting and maintenance.

Up to six fittings can be electronically joined together. Only the first fitting is linked to the Sensorflow 21 transformer and any subsequent fittings just need to be linked to the preceding fitting. Each fitting works independently from its own sensor via a solenoid, as shown below.



No. of basins or urinals in a run	1	2	3	4	5	6	7	8	9	10
No. of Mains Transformer products needed	1	1	1	1	1	1	2	2	2	2
No. of Link Box products needed	0	1	2	3	4	5	5	6	7	8
No. of Battery products needed	N/A									



WHAT YOU NEED TO KNOW

FOR BASIN MIXERS

- With the exception of A4176AA, A4177AA, A4163AA and A4162AA all Sensorflow 21 taps are non-mixing, so temperature needs to be controlled by a mixing thermostat A5900AA, installed before the tap.
- For A4176AA, A4177AA, A4163AA and A4162AA the user can adjust the water temperature manually. Hot water is mixed with cold water in the fitting. Hot water needs to be regulated by a separate thermostat.
- All Sensorflow 21 taps are supplied with 5 litres per minute laminar flow regulators for use on pressures greater than 1 bar, making them very water efficient.
- Flow straightener inserts supplied separately (not fitted) for use on pressures less than 1 bar. For the minimum operating pressures required for individual products check idealspec.co.uk


FOR ALL PRODUCTS

- Each run of up to 6 units must have 1 mains box with the option of 1-5 link boxes.
- Link boxes come with 1.5 metre cables.
- There are extension cables available to cover longer distances between fittings.
- A962282NU 3 metre extension lead
A960707NU 10 metre extension lead
mains fittings come with a transformer.
- Link fittings do not have a transformer but are linked to the mains version.
- Battery mixers are run as solus installations and cannot be linked together.

SENSORFLOW 21

Urinal flush valve
for mains pressure
urinals

Hygienic flush for panel
mounted urinals.



DDA compliant

Electronic flushing

Hygienic

High and low pressure options


For panel mounted urinals

HIGH-PRESSURE INSTALLATIONS

- A7001AA CHROME MAINS
- A7001GN BRUSHED STEEL MAINS
- A7002AA CHROME LINK
- A7002GN BRUSHED STEEL LINK

LOW-PRESSURE INSTALLATIONS

- A7058AA CHROME MAINS
- A7058GN BRUSHED STEEL MAINS
- A7059AA CHROME LINK
- A7059GN BRUSHED STEEL LINK



SENSORFLOW 21

Electronic concealed
urinal flushing valve,
mains


For specs that need a concealing plate.

Electronic flushing

Hygienic

A4188XJ STAINLESS STEEL LOOK

Not suitable for mains fed supply



SENSORFLOW 21

WC concealed
cistern, panel
mounted sensor

Hands-free WC flushing control sensor with
concealed cistern.


Electronic flushing from mains water

Includes flushing control sensor and unit

Hygienic

Activated by waving hand

- S358967 6 LITRE DUCT CISTERN
- S359967 4 OR 4.5 LITRE DUCT CISTERN
- S360467 4 OR 4.5 LITRE DELAY FILL DUCT CISTERN



SEPTA PRO


Septa Pro E1

Electronic (infrared) and manual metal dual flushplate. (For use with Prosys 120 depth WC frames and cisterns).



- Dual flush
- Infrared actuation with mechanical override
- Vandal resistant
- Zamac metal material

S0772AA CHROME
REQUIRES R009967 ELECTRONIC CONVERSION KIT




SEPTA PRO

Septa Pro E2

Electronic (infrared) metal dual flushplate. (For use with Prosys 120 depth frames and flushplates).

- Dual flush
- Infrared actuation
- Vandal resistant
- Zamac metal material

S0773AA CHROME
REQUIRES R009967 ELECTRONIC CONVERSION KIT



PROSYS

Electronic sensor conversion kit

120mm depth WC cistern, mechanical, front actuation.

R009967 PROSYS ELECTRONIC CONVERSION KIT
FOR INFRA-RED ACTUATED FLUSHPLATES
(SEPTA PRO E1 & E2) (120MM DEPTH FRAMES
AND CISTERNS ONLY)

FULL HYGIENE SOLUTIONS

Clients want more hygienic washrooms. With these complete solutions you can give them a spec that meets the highest demands.

FEATURES AND BENEFITS

Smart design and even smarter technology across a range of urinals, bowls and pans.

- Touchless operation improves washroom hygiene
- Controlled water release improves efficiency
- Model with smart sensors that detect problems
- Waterless options for added hygiene



A SMART SYSTEM

HYGIENIC BY DESIGN

Sphero’s anti-splash geometry prevents splash back onto the floor and clothing. The rimless design makes it easier to clean, as does the nozzle spreader which delivers a more hygienic flush that covers the majority of the bowl.

The ceramic edges have been designed to reduce surface cleaning and stop water retention, preventing the spread of bacteria.

FRESHER SPACES

The Waterless options contain an odour block cartridge which eliminates internal pipe odour, keeping the air around the urinal fresh and free from smells.




SPHERO

Maxi urinal with intelligent sensor

Sphero is a clever piece of kit. The shape prevents splash back onto the floor and clothing and the ceramic edges reduce surface cleaning and stop water retention, preventing the spread of bacteria.

- Innovative smart sensor
- Spreader with detection light
- Easy maintenance
- Mains or battery options

S074101 URINAL WITH BACK INLET & EXPOSED TRAP




SPHERO

Midi back inlet urinal

Contemporary designed anti splash urinal.

- Anti splash geometry
- Urinal and key components under one SKU
- Top fixed waste
- Modern spherical design

S073701 SPHERO MIDI BACK INLET URINAL



CONTOUR HYGENIQ

**67cm
hygienic urinal**

The unique fin design cuts splashing by 90%, reducing bacteria spread to surfaces and clothes.

Concealed connections

Easier clean design

Simple installation

Vandal-resistant applications

Splash reducing design

S611901 CONTOUR HYGENIQ URINAL 67CM, CONCEALED


S884967 SPLASH REDUCING WASTE

S897067 TRAP

S927567 CONCEALED HANGERS

S6286AA SPREADER

S927667 TOGGLE BOLTS



SANURA HYGENIQ


**40/50cm
hygienic urinal**

Same splash reducing design,
just in a smaller model.

Wall-mounted urinal

Concealed and exposed options

Splash reducing design



S611801 SANURA HYGENIQ 50CM WALL

S611701 SANURA HYGENIQ 40CM WALL URINAL

S884967 SPLASH REDUCING WASTE

S892567 TRAP

S027567 CONCEALED HANGERS

S6286AA SPREADER



UNIQUE 'FIN'
DESIGN REDUCING
SPLASH BY 90%

CONCEALED WASTE

CONTOUR 21

Wall-hung pan with Smartguard

Wall-hung model with built in protection against bacteria.

Domestic or commercial use


Water efficient

Hydrophilic glaze with antimicrobial properties

New rimless technology

- S044301 WALL-MOUNTED RIMLESS WC BOWL
- A364367 CONCEALA CISTERN
- S067001 CONTOUR 21+ TOILET SEAT AND COVER, SLIM SLOW CLOSE
- E4463AA KARISMA FLUSH PLATE
- S913967 WC SUPPORT BRACKET
- S406601 CONTOUR 21 SEAT NO COVER

As shown in the ambient shot



CONTOUR 21

Back-to-wall with Smartguard

A rimless design that has a hydrophilic glaze with anti-microbial properties.

Domestic or commercial use


Water efficient

New rimless technology

Raised outlet for multiple installations

Slim slow-close seat option

- S043901 BACK-TO-WALL RIMLESS WC BOWL
- S364367 CONCEALA CISTERN
- S067001 CONTOUR 21+ TOILET SEAT AND COVER, SLIM, SLOW CLOSE
- S4463AA KARISMA FLUSH PLATE



AQUABLADE® FLUSH TECHNOLOGY

Award-winning technology that sets new standards in flushing performance. Cleaner, smarter and quieter, AquaBlade® outperforms all others on the market.

ENGINEERED FOR HYGIENE

AquaBlade® ensures outstanding levels of hygiene. A ‘microslot’ channel in the rim releases two powerful blades of water that flush bacteria away. It rinses 95% of the bowl surface (compared with traditional WCs which leave 20% of the bowl unwashed). There’s no unhygienic splashing and the shape of the bowl makes it easy to clean.

When you flush most toilets you create an aerosol effect – a cloud of invisible particles that escape into the air even when the toilet seat is closed. AquaBlade® significantly reduces this effect and the risk of inhaling harmful germs.



CLEANER

AquaBlade® Technology ensures 95% of the surface area is rinsed.



SMARTER

More effective and efficient use of water compared to standard flushes.



QUIETER

AquaBlade® is proven to be up to 25% quieter than our equivalent models.

EDIT R

Wall-hung pan

Featuring an AquaBlade® flush for splash-free flushing, even at low water volumes.


For use in the washroom

Water efficient

AquaBlade® flush technology

Quick release slow-close seat

S079401 EDIT R WALL-HUNG PAN
S364367 CONCEALA CISTERN
E4463AA KARISMA FLUSH PLATE
S079801 EDIT R TOILET SEAT AND COVER, SOFT CLOSE
E006067 WC SUPPORT BRACKET



EDIT R

Back to wall

A back-to-wall model with AquaBlade® splash-free flushing.


For use in the washroom

Water efficient

AquaBlade® flush technology

Quick release slow-close seat

S079501 EDIT R BACK-TO-WALL PAN
S364367 CONCEALA CISTERN
E4463AA KARISMA FLUSH PLATE
S079701 EDIT R COMPACT TOILET SEAT AND COVER, SOFT CLOSE




PROSYS

Mechanical wall-hung WC frame

11550mm height mechanical wall-hung WC frame.

- Mechanical actuation
- Tool-free maintenance
- Wide range of contemporary flushplate options
- Water-saving smart valve (delay fill)
- Electronic flushplate compatibility (with conversion kit)

R015367



PROSYS

WC cistern

120mm depth WC cistern, mechanical.



- Mechanical actuation
- Tool-free maintenance
- Wide range of contemporary flushplate options
- Water-saving smart valve (delay fill)

R031767 PROSYS 120MM DEPTH WC CISTERN, MECHANICAL, TOP ACTUATION CL2



PROSYS

Pneumatic wall-hung WC frame

1150mm height, 3 adjustable heights, pneumatic wall-hung WC frame.





- Pneumatic actuation
- 3 adjustable WC height options
- Adjustable flush volumes
- Tool-free maintenance
- Wide range of contemporary flushplate options
- Water-saving smart valve (delay fill)

R031567 PROSYS 1150MM HEIGHT, 3 ADJUSTABLE HEIGHTS, PNEUMATIC WALL-HUNG WC FRAME, 120MM DEPTH, FRONT ACTUATION CL2











OUR TOUCHLESS PRODUCTS

SENSORFLOW 21	SENSORFLOW 21	SENSORFLOW 21	SENSORFLOW 21
150mm panel mounted spout with integrated sensor	230mm panel mounted spout with integrated sensor	150mm panel mounted spout with separate sensor	230mm panel mounted spout with separate sensor
			
A4846AA CHROME MAINS A4846GN ULTRA STEEL MAINS A4847AA CHROME LINK A4845AA CHROME BATTERY	A4849AA CHROME MAINS A4849GN ULTRA STEEL MAINS A4850AA CHROME LINK A4850GN ULTRA STEEL LINK A4848AA CHROME BATTERY	A4180AA CHROME MAINS A4180GN ULTRA STEEL MAINS A4181AA CHROME LINK A4181GN ULTRA STEEL LINK A4126AA CHROME BATTERY	A4183AA CHROME MAINS A4183GN ULTRA STEEL MAINS A4184AA CHROME LINK A4184GN ULTRA STEEL LINK A4182AA CHROME BATTERY

SENSORFLOW 21	SENSORFLOW 21	SENSORFLOW 21	SENSORFLOW 21
Compact mixer	150mm panel mounted spout with built-in sensor	Washbasin spout with integral sensor	Small washbasin spout with integral sensor
			
A4852AA CHROME MAINS A4852GN ULTRA STEEL MAINS A4853AA CHROME LINK A4853GN ULTRA STEEL LINK A4851AA CHROME BATTERY	A4178AA CHROME MAINS A4179AA CHROME LINK	A4171AA CHROME MAINS A4171GN ULTRA STEEL MAINS A4172AA CHROME LINK A4172GN ULTRA STEEL LINK A4122AA CHROME BATTERY	A4798AA CHROME MAINS A4799AA CHROME LINK A4664AA CHROME BATTERY

OUR TOUCHLESS PRODUCTS (CONTINUED)

SENSORFLOW 21	SENSORFLOW WAVE	SENSORFLOW WAVE	SENSORFLOW WAVE
Washbasin mixer with integral sensor	Basin mixer with integrated sensor	Basin mixer with integrated sensor and temperature control	Thermostatic adjustable shower
			
A4176AA CHROME MAINS A4177AA CHROME LINK	A6161AA CHROME MAINS A6160AA CHROME BATTERY	A6163AA CHROME MAINS A6162AA CHROME BATTERY	A6173 THERMOSTATIC BUILT-IN SHOWER MIXER
SENSORFLOW WAVE	SENSORFLOW 21	SENSORFLOW 21	SENSORFLOW 21
Thermostatic shower set	Urinal flush valve for mains pressure urinals	Electronic concealed urinal flushing valve, mains	WC concealed cistern, panel mounted sensor
			
A6175 THERMOSTATIC BUILT-IN SHOWER MIXER	HIGH-PRESSURE INSTALLATIONS A7001AA CHROME MAINS A7001GN BRUSHED STEEL MAINS A7002AA CHROME LINK A7002GN BRUSHED STEEL LINK LOW-PRESSURE INSTALLATIONS A7058AA CHROME MAINS A7058GN BRUSHED STEEL MAINS A7059AA CHROME LINK A7059GN BRUSHED STEEL LINK	A4188XJ STAINLESS STEEL LOOK Not suitable for mains fed supply	S358967 6 LITRE DUCT CISTERN S359967 4 OR 4.5 LITRE DUCT CISTERN S360467 4 OR 4.5 LITRE DELAY FILL DUCT CISTERN

OUR TOUCHLESS PRODUCTS (CONTINUED)

SEPTA PRO

Septa Pro E1



S0772AA CHROME
REQUIRES R009967 ELECTRONIC
CONVERSION KIT

SEPTA PRO


Septa Pro E2



S0773AA CHROME
REQUIRES R009967 ELECTRONIC
CONVERSION KIT

PROSYS

WC cistern, front actuation



R009967 PROSYS ELECTRONIC
CONVERSION KIT FOR INFRA-RED
ACTUATED FLUSHPLATES (SEPTA
PRO E1 & E2) (120MM DEPTH
FRAMES AND CISTERNS ONLY)

FULL HYGIENE SOLUTIONS

SPHERO

Maxi urinal with
intelligent sensor



S074101 URINAL WITH BACK INLET
& EXPOSED TRAP

SPHERO

Midi back inlet urinal



S073701 SPHERO MIDI BACK
INLET URINAL

CONTOUR HYGENIQ

67cm hygienic urinal



S611901 CONTOUR HYGENIQ
URINAL 67CM, CONCEALED
S884967 SPLASH REDUCING WASTE
S897067 TRAP
S927567 CONCEALED HANGERS
S6286AA SPREADER
S927667 TOGGLE BOLTS

SANURA HYGENIQ

40/50cm hygienic urinal



S611801 SANURA HYGENIQ
50CM WALL
S611701 SANURA HYGENIQ
40CM WALL URINAL
S884967 SPLASH REDUCING WASTE
S892567 TRAP
S027567 CONCEALED HANGERS
S6286AA SPREADER

FULL HYGIENE SOLUTIONS (CONTINUED)

CONTOUR 21

Wall-hung pan
with Smartguard



S044301 WALL-MOUNTED RIMLESS
WC BOWL
A364367 CONCEALA CISTERN
S067001 CONTOUR 21+ TOILET
SEAT AND COVER, SLIM SLOW
CLOSE
E4463AA KARISMA FLUSH PLATE
S913967 WC SUPPORT BRACKET
S406601 CONTOUR 21 SEAT NO
COVER

CONTOUR 21

Back-to-wall
with Smartguard



S043901 BACK-TO-WALL RIMLESS
WC BOWL
S364367 CONCEALA CISTERN
S067001 CONTOUR 21+ TOILET
SEAT AND COVER, SLIM, SLOW
CLOSE
S4463AA KARISMA FLUSH PLATE

EDIT R

Wall-hung pan



S079401 EDIT R WALL-HUNG PAN
S364367 CONCEALA CISTERN
E4463AA KARISMA FLUSH PLATE
S079801 EDIT R TOILET SEAT AND
COVER, SOFT CLOSE
E006067 WC SUPPORT BRACKET

EDIT R

Back to wall



S079501 EDIT R BACK-TO-WALL PAN
S364367 CONCEALA CISTERN
E4463AA KARISMA FLUSH PLATE
S079701 EDIT R COMPACT TOILET
SEAT AND COVER, SOFT CLOSE

PROSYS

Mechanical wall-hung
WC frame



R015367

PROSYS

Pneumatic wall-hung
WC frame



R031567 PROSYS 1150MM
HEIGHT, 3 ADJUSTABLE HEIGHTS,
PNEUMATIC WALL-HUNG
WC FRAME, 120MM DEPTH,
FRONT ACTUATION CL2

PROSYS

WC cistern



R031767 PROSYS 120MM DEPTH
WC CISTERN, MECHANICAL,
TOP ACTUATION CL2

GOT A QUESTION? WE'RE READY TO HELP.

Whatever the query, whatever stage
your project is at we can lend a hand.
Get in touch and we'll get it sorted.

ARMITAGE SHANKS
Armitage
Rugeley
Staffordshire
WS15 4BT

www.idealspec.co.uk

JAMIE MAGUIRE
Northern Team Leader
North East, Scotland and Borders

07717 513376
jmaguire@idealstandard.com

MUSTAFA RAHMAN
Yorkshire

07881 005621
mrahman@idealstandard.com

LIAM PRYSZLAK
North West

07771 976097
lpryszlak@idealstandard.com

NIKESH MODI
East Midlands

07717 513391
nmodi@idealstandard.com

CURTIS MORRIS
Wales and West Midlands

07833 201096
cmorris@idealstandard.com

MICHAEL BURROUGHS
South East

07917 072284
mburroughs@idealstandard.com

THOMAS BALL
Southern Team Leader
South West and South Central

07342 700273
tball@idealstandard.com

*“There’s a reason we’re a trusted
name. We deliver exactly what
you need, when you need it.”*

*Nikesh Modi,
Business Development Executive -
Trade, Sales Representative*

We're here.

For a quick spec and
more BlueBooks visit
our contractor page.

*Armitage
Shanks*

BlueBook_{MINI}