

Ceratherm Navigo®

POWERING THE EVERYDAY





Idealrain Shower head

Where it all comes together.

From inspiration to installation, Singular™ is our end-to-end journey for creating endless cross-category washroom and bathroom solutions for all of our customers.

It's built on our understanding of customer and sector needs, and brings together our specification expertise, design and performance to create solutions that make life easier for everyone.

> Idealrain Stick hand shower



Ceratherm Navigo® 2 outlets

3




Singular Trom Ideal Standard

When design meets performance.



Curating the perfect shower experience relies on a combination of comfort, performance and style. Ideal Standard's Ceratherm collection of thermostatic shower mixers is now available with our innovative Navigo® technology, allowing users to control their shower at the touch of a button.



Engineered for control.

Navigo® technology let's you control your showering experience with one smooth push of a button. The sleek innovative system provides ultimate control over water flow and temperature, making every single shower a perfect one.

Navigo® allows you to operate your shower with one simple push-and-turn movement: **Pushing the control knob starts or stops the shower. Turning the dial allows for precise control of water flow.**

Experience hand-spray and overhead rain-shower simultaneously.

Slim faceplate made of metal for long-term durability.

Ergonomically designed metal handles featuring easy-grip grooves.


FirmaFlow[®] Therm thermostatic cartridge offering precise temperature control.





7

6



40°C safety button to prevent scalding.

Precise and consistent temperature settings.

A range of choices with Navigo^{®.}

Built-in thermostatic shower mixers.







Code A7295AA

Code A7295A5 Code A7295GN

Code A7295A2







Code A7296GN

Code A7301GN

C.



Code A7296A2

1×

Code A7296AA





Code A7296A5

Code A7301AA







Code A7302AA



Code A7302A5





Code A7301A2

Code A7302A2

Our Singular[™] concept allows you to create your own, individual bathroom solution.

Combine Ceratherm Navigo[®] with our wide range of products, knowing they will work together seamlessly, delivering cutting-edge matching design and long-lasting performance.



ower set

Ceratherm Navigo[®] 2 outlets





To ensure flawless performance and an effortless installation of the Ceratherm Navigo[®] shower mixers, they have been combined with Ideal Standard's built-in installation technology - Easy-Box. First launched 10 years ago, Easy-Box is installed in about 800,000 bathrooms. So, you can be sure it delivers on its promise.

The perfect combination.

The hidden technology: Easy-Box.

Ideal Standard's flexible built-in unit simplifies the installation process and eliminates the need for any specific tools. Thanks to its innovative features, the Easy-Box can adapt to any project and installation type.

13


12



Smart features for an effortless installation.

variation in the unit, plus 35 mm with the feet).

the box.



15

14

accurate and reliable positioning both horizontally and vertically.

Cover

The cover contains a short installation guide (not shown in image) and an integrated spirit-level holder to facilitate alignment of the Easy-Box.

Suitable for every project with Fast-Fix.

All our products are designed to meet the needs of our customers and make their life easier. That is why we have developed the Fast-Fix mounting system, offering advanced features that ensure installation is hassle-free and, above all, flexible. Whether it is in-wall, on-wall or in-front-of-the-wall installation, mounting on pre-carrier systems or on pre-fabricated cells, the Easy-Box adapts to any project.

1. Choose your type of installation



In-wall installation



On-wall installation.



In-front-of.wall installation.



2. Installation



Ön-wall installation. Connect the pipes.



Fix sealing fabric on ready plastered and pre-treated wall



Installation on pre-carrier systems.



Installation on prefabricated cells.



Installation in stud walls (with bracket A861111NU to be ordered separately).



Trim the protruding part of the box, turn off the water and disassemble the flushing device.

17



Assemble the function unit (Navigo, thermostat or single lever body) and verify watertightness.

16



Rinse pipes using a pre-assembled flushing device.



Slide the plate support over the cartridge and the diverter and screw into the right position. Then mount the visible design parts.

100% waterproof.


The reliable Dicht-Fix system offers triple protection against water getting in or out of the built-in unit and therefore eliminates the risk of leakage behind the wall.

Intelligent manufacturing

The escutcheon is manufactured in a 2-component die-casting process. Direct injection moulding ensures that the joints remain perfectly watertight.

External waterproofing

The sealing fleece prevents water, coming from the shower space, to penetrate into the wall.



19

18

Internal waterproofing

Additional sealings around the protruding pipes prevent any water from leaking from the Easy-Box into the wall.



Solid plaster guard which protects the inside until final assembly.

Unlimited possibilities, one single solution.

The combination of our **Ceratherm Navigo® thermostatic mixers** and the **flexible built-in Easy-box unit** offers a wide variety of solutions for you to choose from.

Whatever your project and installation requirements, **Easy-Box can adapt to your specific needs**, allowing you to create a durable and reliable showering solution.

Our **Ceratherm Navigo® shower mixers** are available in **four different finishes** and can be combined with Ideal Standard's matching shower accessories.

Finally, we offer a **wide range of taps and mixers** in the same **colour** ways, expertly crafted ceramic collections and beautifully designed furniture that enable you to create your one, **perfect bathroom solution**.



Greater flexibility.

The universal Easy-Box installation kit is also the perfect choice for Ideal Standard's wide range of two-handle and electronic thermostats as well as single lever manual mixers, offering more flexibility in bathroom design.

CERATHERM T100



Code A5813-- 🌔 AA 🌑 XG 🜑 A5 🌔 GN 🌔 A2



Code A5814-- 🌔 AA 🌑 XG 🌑 A5 🍈 GN 🌔 A2


CERATHERM C100



Code A6956-- 🌔 AA 🌑 XG 🌑 A5 🌔 GN 🌔 A2



Code A7522-- () AA () XG () A5 () GN () A2




CERATHERM NAVIGO BUILT IN SHOWER MIXERS

TECHNICAL INFO

CERATHERM BUILT IN SHOWER MIXERS

CERATHERM NAVIGO SHOWER MIXER



CERATHERM NAVIGO SHOWER MIXER




CERATHERM NAVIGO SHOWER MIXER




() AA 🔴 A5 () GN () A2

CERATHERM NAVIGO SHOWER MIXER



CERATHERM T100 SHOWER MIXER





CERATHERM C100 SHOWER MIXER



2 outlets and round faceplate - chron • Requires built-in kit A1000NU (sold sepa and a suitable outlet 5 YEAR M. 40° 005 Finishes

() AA () XG () A5 () GN () A2

EASYBOX BUILT-IN INSTALLATION KIT




MODEL	
Built-In Kit	







IODEL	SKU	
Built-in thermostatic shower mixer 1 outlet and round faceplate - chrome	A6956AA	
Built-in thermostatic shower mixer 2 outlets and round faceplate - chrome	A7522AA	
 Requires built-in kit A1000NU (sold separately, see below) and a suitable outlet 		163



01









Ideal Standard

The Bathroom Works National Avenue Kingston upon Hull HU5 4HS - England Tel: 01482 346461

Ideal Standard

3013 Lake Drive Citywest Business Campus Dublin 24 Tel: 003531 456 4525

IDEALSTANDARD.CO.UK

IDEALSTANDARD.IE