Contour 21+ Back To Wall Rimless Raised Height WC Pan - Enlarged Cubicle

ILLUSTRATED			
S0440	Contour 21+ raised height back-to-wall rimless toilet bowl with raised horizontal outlet and anti-microbial glaze		
S6454	Contour 21 grab rail straight 60cm long x 35mm diameter		
S6452	Contour 21 grab rail straight 45cm long x 35mm diameter		
S5093	Clothes hook screw to wall, plastic		
S3326	Conceala 3 dual flush 6/4 litre cistern, side inlet, pneumatic actuation, easy adjustable to low water volumes (4.5/3 or 4/2.6 litres), internal overflow, flushpipe included, no button/flushplate		
S4066	Contour 21 toilet seat only, top fixing hinges and retaining buffers		
S1082	Conceala 3 dual flushplate		


OPTIONS

S3330	Conceala 3 single flush 6 litre cistern, bottom/top inlet, lever operated, easy adjustable to low water volumes (4.5 or 4 litres), internal overflow, flushpipe included, no lever
S4305	Panekta outlet connector to convert horizontal outlet wcs to P trap
S4300	Panekta outlet connector to convert horizontal outlet wcs


ILLUSTRATED PRODUCT DETAILS

Martalia.		etatala a	
Weights		Finishes	
S0440	22.70 KG	S0440	White With
S6454	2.00 KG		SmartGuard (HY)
S6452	0.62 KG	S6454	White (AC)
S5093	1.76 KG		
S3326	2.70 KG	S6452	White (AC)
S4066	1.55 KG	30432	Willie (AC)
S1082	0.35 KG		
Materials		S5093	White (AC)
\$0440 \$6454 \$6452 \$5093 \$3326 \$4066 \$1082	Vitreous China Aluminium Aluminium Vitreous China Plastic Plastic Chrome Plated Plastic	\$3326 \$4066 \$1082	Neutral/No Finish (67) White (01) Chrome (AA)
		Designer	•
		Robin Levien, RDI	

FINISH OPTIONS










Contour 21+ Back To Wall Rimless Raised Height WC Pan - Enlarged Cubicle



Standards

Vitreous china to BS 3402

Special Notes

Where four or more cubicles are provided in a washroom one of these must be an enlarged cubicle. This cubicle must be in addition to the ambulant disabled cubicle (see page 18:3:13) and must be a minimum of 1200mm wide. One horizontal and one vertical grab rail must be supplied to set around the WC.There must also be a space for a shelf and folding changing table, an outward opening door and closing/opening bar on the inside of the door. Supplied with layout drawings, detailing the fixing positions necessary for Doc M compliance.

600mm grab rail S6454 x 2 for room set

450mm grab rail S6452

for back of door White:Ral=9016, LRV=87 Blue:Ral=5011, LRV=6 Red:Ral=3020, LRV=12 Grey:Ral=7005, LRV=19

Charcoal:Ral=7016, LRV=8

